**CENTRAL STATISTICAL OFFICE** 

# **ENERGY**

# **EFFICIENCY IN POLAND**

# **IN YEARS 1997-2007**

Warsaw, 2009

Preparation of the publication

supervisor

CSO, Industry Division The Polish National Energy Conservation Agency

Grażyna Berent-Kowalska, Ryszard Wnuk (KAPE)

team

Szymon Peryt

Cover

Statistical Publishing Establishment

ISSN: 1732-4939

Publication available on www.stat.gov.pl

Supported by
Intelligent Energy Europe

The sole responsibility for the content of this publication lies with the authors. It does not necessarily reflect the opinion of the European Communities. The European Commission is not responsible for any use that may be made of the information contained therein.

#### PREFACE

This publication is successive edition of the study "ENERGY EFFICIENCY" published by the Central Statistical Office (GUS) as part of the series entitled "Information and statistical papers".

The aim of this publication is to present global and sector energy efficiency indicators with their analysis.

The development of energy efficiency indicators adapting statistics to changing economy conditions and present needs (monitoring of energy economy and controlling its management towards "sustainable development") is realized in answer to European Commission and IEA/OECD documents. These documents recommended joined actions of Eurostat and Member States, aimed at creation of statistical indicators system to assess trends in the field of energy efficiency and supporting decisions making and coordination of these actions with works carried by International Energy Agency.

Realization of this aim served works carried in frames of European Union projects SAVE I and SAVE II and carry at the present in frames of "Intelligent Energy for Europe" programme.

Presented results show potentiality of system created in the EU and IAE/OECD and are not full analysis of present state and trends of energy intensity of Polish economy.

The publication was elaborated by employees of the Polish National Energy Conservation Agency, Energy Market Agency and Central Statistical Office.

> Wanda Tkaczyk Director of Industry Division

Warsaw, June 2009

## Contents

1. Introduction	7
2. Energy efficiency indicators for Polish economy and its sectors	9
2.1. Dynamic of development of the economy	9
2.2. Energy consumption and prices of energy	10
2.3. Macro-economic indicators	15
2.4. Industry	17
2.5. Households	23
2.6. Transport	27
2.7. Service sector	29
2.8. Heat plants and heat and power generating plants	
2.9. ODEX indicator and energy savings	31
3. Poland against a background of other EU countries	34
4. Conclusions	
5. Abbreviations	
Attachment No. 1: Data presented in the brochure	40
Attachment No. 2. Measures towards energy efficiency improvements	44
Attachment No. 3. List of legal acts	49

## **List of Figures**

Figure 1. Dynamics of basic macro-economic indicators (1990=	Figure 1.	Dynamics of basic	e macro-economic indicato	s (1990=100)
--	-----------	-------------------	---------------------------	--------------

- Figure 2. Changes of GDP, value added in main economy sectors and private consumptions at constant prices
- Figure 3. Primary and final energy consumption
- Figure 4. Final energy consumption by energy carrier
- Figure 5. Final energy consumption by sectors
- Figure 6. Changes of gasoline and diesel oil prices
- Figure 7. Changes of electricity prices for households and industry
- Figure 8. Changes of gas prices for households and industry
- Figure 9. Energy intensity of GDP
- Figure 10. Ratio of final to primary intensity

- Figure 11. Final energy intensity of GDP
- Figure 12. Final energy consumption in industry by energy carrier
- Figure 13. Energy consumption in manufacturing by branch
- Figure 14. Changes of energy intensity indicators in energy intensive industry branches
- Figure 15. Changes of energy intensity indicators in low energy intensive industry branches
- Figure 16. Changes of energy intensity of manufacturing role of structural changes
- Figure 17. Structural changes impact of manufacturing branches by period
- Figure 18. Unit consumption of selected industrial products
- Figure 19. Structure of energy consumption in households by end use
- Figure 20. Changes in indicator of energy consumption in households per dwelling
- Figure 21. Energy consumption in households per  $m^2$
- Figure 22. Changes of price and electricity consumption in households per dwelling
- Figure 23. Passenger and freight traffic and energy consumption in transport
- Figure 24. Fuel consumption per equivalent car
- Figure 25. Changes of energy intensity and electricity intensity indicator in service sector
- Figure 26. Changes of energy consumption and electricity consumption per employee of the service sector
- Figure 27. Efficiency of heat plants and CHP
- Figure 28. ODEX indicator
- Figure 29. Cumulated energy savings
- Figure 30. Primary intensity of GDP with climatic correction (euro05, ppp)
- Figure 31. Final intensity of GDP with climatic correction (euro05, ppp)
- Figure 32. Final intensity of manufacturing at EU-27 structure (euro05, ppp)
- Figure 33. Energy consumption per equivalent car
- Figure 34. Energy consumption per  $m^2$  of dwelling with climatic correction
- Figure 35. Energy consumption per employee in service sector with climatic correction

#### List of Tables

- Table 1.Dynamics of basic macro-economic development indicators in Poland in 1990-<br/>2007 (%/year)
- Table 2.An average annual rate of changes in GDP energy intensity indicators (%/year)

- Table 3.Dynamics of changes of energy intensity and impact of structural changes<br/>(%/year)
- Table 4.Changes in structure of energy consumption in households by end use
- Table 5.Heating degree-days in years 1993-2007

# 1. Introduction

The increase of energy efficiency of generation, transmission and use processes is a pillar of sustainable energy policy. It is reflected in the law and actions undertaken by national institutions and international organizations, among them in regulations connected with energy efficiency, including:

- Directives of the European Parliament and of the Council<sup>1</sup> (with the latest 2006/32/EC of 5 April 2006 on energy end-use efficiency and energy services and repealing Council Directive 93/76/EEC),
- Renewed Lisbon Strategy,
- National Coherence Strategy for years 2007-2013.

The main aim of the latest directive is achieving economically reasonable improvement of fuels and energy end-use efficiency in Member States of the European Union through: setting goals, mechanisms and incentives; setting institutional, financial and legal frames to cancel existing market barriers having influence on energy end-use efficiency; promotion of programmes aiming at improving energy efficiency; development of high quality energy services for end users; harmonization of methodology of energy savings calculation and verification.

Above mentioned directive obliges Member States to collect and transmit data required to monitor, asses and plan actions towards energy end-use efficiency improvement.

There are two methods of measuring growth of energy efficiency (energy savings). These are: "top-down" method and "bottom-up" method.

• In method "top-down" aggregated data is used and therefore it is called energy efficiency indicators method. This method enables to set indicators of situation development, but it does not ensure detailed measuring on specific level. Mostly, sections, divisions, groups of economy, groups of devices, and types of transport means are the subjects of calculations. Calculated values of energy consumption or intensity are recalculated with reference to such external factors as number of degree days during heating season, structural changes, production profile, etc.

<sup>&</sup>lt;sup>1</sup> See Attachment No. 3

• "Bottom-up" method is more precise way of energy savings calculations resulting from energy efficiency increase. Primary, energy consumption of single end user for instance refrigerator is calculated during defined time period before introducing proefficiency action, obtaining base value<sup>2</sup>. Next, the energy consumption in the following period is compared to the consumption during prior period. The difference between results measures energy efficiency increase. If similar calculations are made for all energy devices, and results sum up, precise result of energy efficiency growth is obtained. When making calculations, it should be remembered also in this case to take into account climate corrections and other factors outnumbered in the description of the method "top-down".

Central Statistical Office and Polish National Energy Conservation Agency take part since few years in successive projects aiming at assessment of energy efficiency trends and description of energy efficiency policy measures. At the moment they participate in 2 - years (2007-2009) project of the Intelligent Energy for Europe programme. "Monitoring of Energy Demand Trends and Energy Efficiency in the EU". The project aims at:

- Monitoring of changes (improvement) of energy efficiency (CO<sub>2</sub> emission) in the EU Member States.
- Analysis of energy demand trends.
- Comparison of energy efficiency among various countries.
- Evaluation of share of innovative energy efficient technologies and renewable energy sources in implementation of Lisbon Strategy for increase of economic competitiveness of Europe.
- Evaluation of measures for improvement of energy efficiency in EU Member States.

The above objectives are compliant with requirements concerning energy efficiency measurements of the Directive 2006/32/EC. Under the project two tools will be developed and used: ODYSSEE<sup>3</sup> data base containing data and values of energy efficiency indicators, MURE<sup>4</sup> data base with data concerning measures for improvement of energy efficiency.

The present publication and energy efficiency indicators base on methodology developed during above mentioned projects.

Some data may slightly differ from data presented in previous edition, due to corrections.

 $<sup>^2</sup>$  In calculations "bottom-up", in case there is no possibility to measure energy consumption earlier, the base level can be reconstructed using parameters of types and share of technologies, which were used when given action was not applied.

<sup>&</sup>lt;sup>3</sup> www.odyssee-indicators.org

<sup>&</sup>lt;sup>4</sup> www.mure2.com

# 2. Energy efficiency indicators for Polish economy and its sectors

### 2.1. Dynamic of development of the economy

Since 1992 all the basic economic indicators in Poland have been improving, after drop at the beginning of the 90's (Figure 1). The fastest rate of growth of value added at constant was achieved in the given period in industry sector though the growth was rather unequal with two declining years (2001 and 2002). Private consumption was increasing at the rate similar to the rate of growth of GDP (Table 1), except for year 1991. The lowest rate of growth was observed in agriculture sector (Figure 2).




Figure 1. Dynamics of basic macro-economic indicators (1990=100)

Table 1. Dynamics of basic macro-economic development indicators in Poland in 1990-2007 (%/year)

Specification	1991-2001	2001-2007	1990-2007
GDP	4,66	4,52	3,89
Value added in industry	5,50	6,05	4,50
Private consumption	4,70	3,71	4,44




Figure 2. Changes of GDP, value added in main economy sectors and private consumptions at constant prices

## 2.2 Energy consumption and prices of energy

After growth in first half of the 90's and reaching top in 1996, total primary and final energy consumption was decreasing between 1996-2002 (Figure 3). Since then growth of consumption has began and was continued in year 2007.

Decrease of energy consumption resulted from realization of modernization programmes, restructuring of economy and seasonally lower economic activity. Programmes of energy efficiency improvement and liberalization of energy prices produced also had their share.




Figure 3. Primary and final energy consumption


Function of final energy consumption is slightly modified by climatic correction which increases its value for winters characterized by lower degree days value (warmer). Climatic correction concerns households and service sector. Energy consumption with climatic correction describes its theoretical value for a given year, if the weather conditions were similar to long-term average.

Final energy consumption with climatic correction is counted by deducting from final energy consumption the energy consumption in households and service sector and adding energy consumption in these sectors with climatic correction<sup>5</sup>.

In the energy field, Poland has traditionally been a supply-oriented country with important hard coal and lignite sector. However, the share of coal in country energy consumption decreased from 31% in 1997 to 18% in 2007 (Figure 4). Comparison of final energy consumption by energy carriers between 1997 and 2007 shows the increase role of oil fuels which became dominant in the balance with the share of 32% in 2007. Gas consumption slightly rose and reached 15% of energy consumed in 2007. Similarly, consumption of electricity increased between 1997 and 2007 and amounted to 16% in 2007.

<sup>&</sup>lt;sup>5</sup> detailed methodology of climatic correction calculation was presented in chapter 2.5

#### Figure 4. Final energy consumption by energy carrier



Changes of final consumption structure in main sectors of economy (Figure 5) reflect the directions of economy development. Restructuring of industry affected the energy consumption reduction, which was also accompanied by energy saving measures in companies. The development of road transport and services influenced the increase of energy consumption of these sectors. The households experienced the activities as thermomodernization, improving efficiencies of heating systems and totally obtained 15% reduction of its energy consumption during 1996-2006.

Changes in agriculture sector, consisting in liquidation and privatisation of state-owned agriculture holdings, and building modern large-size farms, did not contribute to save energy. However, since year 2000 energy consumption in agriculture began to decrease.




Figure 5. Final energy consumption by sectors

Prices of gasoline and diesel expressed in constant of 2000 have dynamically grown since 1998 with the periodical corrections of the trend (Figure 6). The main factors influencing level of these prices is the level of tax contained in fuel prices (significant increased of excise tax took place at the end of the 90's) and prices of crude oil on world markets (oil prices have been growing since 1999).




Figure 6. Changes of gasoline and diesel oil prices

Poland has completed the difficult task of cross subsidies in the electricity sector elimination, which has been achieved by increasing the tariff for household from 0.0248 for 1kWh in 1990 up to 0.0664 in 1993: 160% of growth expressed in Euro in constant. And also for next years 1993-1999 the price of household electricity has been increasing slowly and more sharp growth again is observed for 2001-2003. Price of electricity for industry has been decreasing during the years 1990-2000 (4.1%/year) - Figure 7. In years 2001-2003 the prices increased by 28% and then, in case of industry became stable. The prices for households were further growing.




Figure 7. Changes of electricity prices for households and industry

The price of gas reflected the tendencies observed for electricity prices. In case of gas price the growth for households expressed in constant Euro 2000 was much sharper: from 0.0349 in 1990 up to 0.2058 in 1993 (490% of growth at constant Euro 2000 (Figure 8) and up to year 2000 price was steadily growing. In 2001 and 2002 gas price jumped and next years the prices fluctuated. In 2004 prices returned to increasing trend which fastened in 2006 and was continued in next year.

In years 1990-1999 gas price for industry declined systematically, then it jumped in 2000-2001. After decreasing until 2004, prices began to grow.





Figure 8. Changes of gas prices for households and industry


### 2.3. Macro-economic indicators

Stable level of energy consumption and increasing value of Gross Domestic Product caused decrease of primary and final energy intensity of GDP (Figure. 9-11, table 2). Initial growth of intensity until year 1993, was followed by the period of dynamic improvement which lasted until year 2000. Since that time, gradual improvement of intensity at the rate of 2% per year has taken place.

Table 2. An average annual	rate of changes in GD	P energy intensity	v indicators (%/vear)
			,,,,,,,,, _

Rate of change	1990-1993	1993-2000	2000-2007	1993-2007	1990-2007
Final intensity of GDP	3,46	-7,16	-2,53	-4,87	-3,45
Primary intensity of GDP	0,84	-6,77	-2,78	-4,80	-3,83








Figure 10. Ratio of final to primary intensity

The rate of improvement of primary intensity indicator was higher than final intensity, what resulted in increase of ratio final to primary. It is connected with growth of average efficiency of energy transformations.




Figure. 11. Final intensity of GDP

While analysing changes in energy intensities, it is necessary to bear in mind the specific situation before 1990s in the Central European countries, including Poland. In those countries of the central planning, energy prices were very low, which resulted in energy wastage reaching in extreme cases even 60 to 70% of the energy consumed. This caused a habit of excessive energy consumption, difficult to overcome but creating the possibilities to save. Drop of energy intensity was caused partly by use of these simple reserves.

## 2.4. Industry

Final energy consumption in industry varied similar to total final consumption. In second half on the 90's began decrease of consumption which reached the bottom at the level of 15 Mtoe in year 2002. Since then consumption has been slightly growing.




Figure 12. Final energy consumption in industry by energy carrier

Energy consumption of manufacturing by branch presents Figure 13. About 60% of energy is consumed by primary metals (iron and non-ironic metals), chemical and mineral production, their share did not change much during 10 years. Chemical and paper industry increased their share. Consumption of energy by food, textile and machinery industry slightly declines. Significant drop of energy consumed was observed in case of steel industry. The drops are caused partly by limiting production, and not by modernization of energy is aiming at reduction of energy consumption. Structural changes are rather small and do not exceed few percentage points.





Figure 13. Energy consumption in manufacturing by branch

Figures 14 and 15 present energy intensity (final energy consumption/value added) of selected industrial branches in years 1993-2006.








Figure 15. Changes of energy intensity indicators in low energy intensive industry branches

The highest dynamic of improvement was achieved by machinery and transport equipment industry, as well as food and textile industry. The slowest improvement took place in primary metals, paper, wood and chemical industry. Intensity of majority of branches was improving fastest between year 1996 and 2000. Earlier, in years 1993-1996 some branches experienced growth of energy intensity.

Changing shares of manufacturing divisions in final energy consumption and value addend, i.e. changing structure has impact on intensity of manufacturing. Values presented below assessing impact of structural changes in manufacturing on level of energy intensity were obtained using DIVISIA method.

Intensity of manufacturing was improving in longer periods at very high, exceeding 9%/year rate. But the rate of improvement at constant structure, showing individual progress at the level of branches differs between periods. It is higher before year 2000 when amounted to 8.1%, later it decreased to 5.5%/year. On the other hand impact of structural changes is 3 times higher after year 2000 in comparison with previous period. In years 1994-2007 structural changes caused fall of energy intensity by 2.7% on average annually.




Figure 16. Changes of energy intensity of manufacturing - role of structural changes

 Table 3. Dynamics of changes of energy intensity and impact of structural changes

 (%/year)

Specification	1994-2000	2000-2007	1994-2007
Energy intensity	-9,29	-9,18	-9,23
Energy intensity at constant structure	-8,09	-5,53	-6,72
Impact of structural changes	-1,31	-3,87	-2,70

Effect of structural changes was influenced strongest by primary metals. It was result of drop of importance of division which consumes a lot of energy and did not improve much its energy efficiency. On the other hand constant development of machinery industry and increasing importance of this branch caused opposite impact on structural changes.

Impact of primary metals on effect of structural changes was strongest after year 2000.




Figure 17. Structural changes – impact of manufacturing branches by period

Figure 18 presents energy intensity of steel<sup>6</sup>, cement<sup>7</sup> and paper<sup>8</sup> production in years 1990-2007. Energy used to produce these three products amounted to 34% of energy consumption in manufacturing in 2007. Energy intensity of cement production declines systematically. Old-fashioned wet method of production was abandoned what resulted in decline of energy intensity below 0.1 toe/t i.e. value close to European average. Little decline of energy intensity of steel production results from delays in privatisation process and modern technologies implementing. Paper industry was thoroughly modernized after privatisation, which resulted in further decrease of intensity to level of 0.55 toe/t in 2006. In 2007 value of indicator has worsened. In years 1990-2007 energy intensity of crude steel production declined by 31.77% (2.22%/year), paper production by 36.74% (2.66%/year) and cement production by 43.40% (3.29%/year).

<sup>&</sup>lt;sup>6</sup> Calculated as final energy consumption in groups 27.1, 27.2, 27.3 and classes 27.51 and 27.52 divided by steel production

<sup>&</sup>lt;sup>7</sup> Calculated as final energy consumption in group 25.6 divided by cement production

<sup>&</sup>lt;sup>8</sup> Calculated as final energy consumption in group 25.6 divided by paper production




Figure 18. Unit consumption of selected industrial products

### 2.5. Households

Share of energy consumption in households in final energy consumption amounts to 32-33% and tends to grow. The structure of consumption by end use, surveyed by CSO in 1993 and 2002 presents Figure 19 and Table 4. Decreasing share of energy consumption for heating and cooking results from replacing low-efficient coal with gas and electric ovens. Growth of consumption by electrical appliances and lighting is connected with richer equipment of households in electrical appliances and behaviour changes (e.g. changes in intensity of appliances use - washing machines, dish washers, TVs, computers).




Figure 19. Structure of energy consumption in households by end use

Table 4. Changes in structure of energy consumption in households by end use

Items	1993	2002
Total	100.0	100.0
Heating	73.1	71.2
Water heating	14.9	15.1
Cooking	7.1	6.6
Lighting	1.6	2.3
Electrical equipment	3.3	4.5

Figure 21 presents changes of energy consumption per dwelling. The value of indicator with climatic correction tends to decrease with annual decrease rate of 2.2% since 1997. Decrease of unit energy consumption in dwellings is related to buildings thermo modernization, reduction of losses in central heating systems, improvement of efficiency of newly installed devices.




Figure 20. Changes in indicator of energy consumption in households per dwelling

The method for the climatic correction of final energy consumption is based on the correlation between energy consumption and outdoor temperature. The consumption is proportional to the Heating Degree Days (SD). The constant heating share approach in calculating of final energy consumption with climatic correction  $ZEF^{kk}$  is based on the following formula:

$$ZFF^{kk} = \frac{ZFF}{1 - 0.9 \cdot \alpha \cdot \left(1 - \frac{Actual SD}{Long - term \ average SD}\right)}$$

where: ZEF - final energy consumption, SD - degree days number,  $\alpha$  - heating share in total energy consumption in dwelling sector.

Heating Degree Days is introduced to enable control and comparison of energy consumption for heating. It expresses a product of number of heating days and difference between the average temperature of heated room and average outdoor temperature. Numbers of SD degrees in a given year according to Eurostat methodology is calculated as follows:

$$Sd = \sum_{n=1}^{N} \begin{cases} 18^{\circ} \mathrm{C} - t_{sr} & \textcircled{} \end{cases} \qquad dla \quad t_{sr} & \textcircled{} \leq 15^{\circ} \mathrm{C} \\ 0 & dla \quad t_{sr} & \swarrow > 15^{\circ} \mathrm{C} \end{cases}, \text{ [day · deg/year]}$$

source: Eurostat and Joint Research Center, GUS

where:  $t_{sr} \Phi = \frac{t_{\min} \Phi + t_{maks} \Phi}{2}$  - mean outdoor temperature for *n* day, [°C];  $t_{\min} \Phi = t_{maks} \Phi$ 

- minimum and maximum temperature of the *n* day, [°C]; *N* - number of days per year. According to formula and the Eurostat assumption, the mean outdoor temperature of the heating day should be less than  $15^{\circ}$ C.

The values of heating degree days (*SD*) for 1992-2006 are presented in the table below (long-term average calculated for years 1980-2004 amounts to 3615.77).


#### Table 5. Heating degree-days in years 1993-2007

	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Sd - annual	3711	3477	3622	4144	3686	3559	3341	3092	3581	3337	3594	3510	3547	3454	3222

source: Eurostat and Joint Research Center

Trend of energy consumption per  $m^2$  looks similar, however dynamic of improvement is higher by 1%, what results from increasing average floor space. Although building code for new buildings allows for twice lower use of energy than present use, the impact of this factor on energy efficiency improvement in whole buildings is little. Figure below presents energy consumption in household dwellings per  $m^2$ .





Energy consumption by the households is shaped by various factors. The most significant are price level and economic situation of households which is reflected in so called behaviour changes resulting *inter alia* in different intensity of household appliances. Increase of prices at the beginning of the 90's resulted in sudden drop of electricity consumption which was compensated thanks to increasing incomes of population at the beginning of the next decade. Subsequent increases contributed to another limitation of electricity use. Growth of consumption in year 2003 resulted from methodological issues (adding electricity consumption by farmers).




Figure 22. Changes of price and electricity consumption in households per dwelling

#### 2.6. Transport

In Poland almost 94% of energy consumed in transport consumes road transport, around 3% rail transport. Another 3% is consumed by airplanes and the rest is consumed by inland and inshore water transport.




Figure. 23. Passenger and freight traffic and energy consumption in transport\*

\* excluding air transport, source: DG TREN, GUS

In years 1990-2007 growth of fuel consumption in road transport (5.1% annually) is observed, accompanied by significant drop of energy consumption by rail transport. It is the result of transport modal shift from rail transport to road transport. Since 1990 road traffic has tripled while rail transport decreased by 50%. Totally, since year 1990, 70-percentage growth of freight traffic (124900 Mio tonne-km in 1990) and passenger traffic (164800 Mio passenger-km in 1990) has taken place, accompanied by doubled energy consumption. The biggest discrepancies between trends were at the beginning of the 90's, later on the rates of growth were similar.

Figure 24 presents unit consumption of fuels per equivalent car<sup>9</sup>. The indicator is influenced mainly by economical situation of the country, fuels prices and increasing efficiency of new cars.

 $<sup>^{9}</sup>$  stock of equivalent cars was calculated as: Ec = 0.15\*M + C + 4\*T + 15\*B, where Ec – stock of equivalent car, M – stock of motorcycle, C – stock of car, T – stock of truck, B – stock of bus. Parameters are calculated as relation of estimated annual fuel consumption by type of vehicle to annual fuel consumption by car.




Figure 24. Fuel consumption per equivalent car

#### 2.7. Service sector

Service sector has the most stable energy efficiency indicators. Value added energy intensity<sup>10</sup>, after drop at the beginning of the 90's shows slight fluctuation and in 2007 it has the same value as in 1994. Improvement rate is lower than the global value and is significantly lower than improvement e.g. in industry but at the same time it is the sector of national income creation that is the most efficient in respect of energy. The electricity intensity indicator is characterized by larger variations and remains in uptrend since 1997 (Figure 25).

In case of changes of unit consumption of energy and electricity per employee irregular decrease trend which ended in the second half of the 90's can be observed (Figure 26). Afterwards, consumption of energy and electricity started to rise. The rate of growth of electricity consumption was higher by one percentage point since 1994, due to increasing amount of electrical devices used by service sector enterprises.

<sup>&</sup>lt;sup>10</sup> Calculation of this indicator excludes energy consumption of transport but includes value addend of transport. The same procedure concerns electricity intensity indicator.





Figure 25. Changes of energy intensity and electricity intensity indicator in service

sector


Figure 26. Changes of energy consumption and electricity consumption per employee of the service sector




#### 2.8. Heat plants and heat and power generating plants

Figure 27 present changes of efficiency of heat plants and combined heat and power plants. In year 2007 efficiency of heat plants and heat and power generating plants decreased.

Earlier, in effect of modernization the growth of efficiency of heat plants (years 1992- 2001) and heat and power-generating plants (years 1995-2003 without 1999-2000) can be observed.





#### 2.8. ODEX indicator and energy savings

ODEX indicator is an aggregated energy efficiency indicator. It was elaborated to meet the needs related to monitoring of energy effectiveness and in order to obtain understandable, simple to elaborate and comparable indicator reflecting progress in respect of energy efficiency in the European Union Member States. The indicator is obtained through aggregation of changes in unit energy consumption observed in a given period of time at the specified levels of end-use. By application of reference physical parameters, the ODEX indicator illustrates progress in respect of energy efficiency. ODEX is an alternative for monetary indicators of energy intensity which depend on many factors related - not directly - to energy efficiency. ODEX indicator does not show current level of energy intensity but the progress in respect of the base year. The ODEX indicators are useful for monitoring of

indicative target implementation in the scope of energy efficiency laid down in Directive 2006/32/EC.

The methodology of ODEX indicators calculation is currently being elaborated *inter alia* under the programmes of the European Commission named ODYSSEE which is participated by GUS and KAPE S.A. At present, two alternative methods of ODEX calculation are applied which give the same result. The first method (aggregation method based on unit consumption effect) combines the progress in energy efficiency achieved in all sub-sectors on the basis of saved energy quantity (e.g. Mtoe): it is based on "unit consumption effect". The second method (weighted indicator method) weighs a separate unit consumption indicator of each sub-sector on the basis of its share in energy consumption for the entire sector.

We can observe decreasing trend of ODEX indicators in years 1996-2007 what means improvement of energy efficiency. The rate of improvement for Poland amounted to 3.6% annually. The fastest rate was achieved by manufacturing, which amounted to 7.1% and was higher before 2000. In household sector ODEX indicator (technical) started to fall in 1997, since 2004 the improvement is relatively small. Average annual improvement in years 1996-2007 amounted to 2.9% in this sector. In transport sector ODEX indicator was dynamically falling in years 1999-2002 and grew with similar dynamic during consecutive years<sup>11</sup>.




Figure 28. ODEX indicator

<sup>&</sup>lt;sup>11</sup> Because of lack of official data on specific consumption of different types of transport, calculation of indicator for transport is based on estimated and constant parameters and therefore can be burdened with a mistake

ODEX indicator, apart from energy efficiency assessment can be used to calculate energy savings. Figure below presents cumulated energy savings in manufacturing, households and transport since year 2000.




Figure 29. Cumulated energy savings

Cumulated energy savings since year 2000 amounted to 9.6 Mtoe in 2007, i.e. about 18% of annual final energy consumption in Poland. This amount includes savings made by sectors covered by European Trading Scheme which should not be counted in, according to Energy Service Directive. Estimated energy savings without these sectors amounted to 5.1 Mtoe in 2007.

# 3. Poland against a background of other EU countries<sup>12</sup>

Primary intensity of GDP in Poland at constant prices and purchasing power parity amounted in 2006 to 0.205 koe/euro05ppp and was 24% higher than European average. High dynamic of energy efficiency improvement before year 2000 can be observed, in contrast with little and stable improvement in "old" Member States.




Figure 30. Primary intensity of GDP with climatic correction (euro05, ppp)

In case of final energy intensity difference is smaller and amounts to 19% between Poland (0.126) and EU-27 average (0.105). It is the result of the fact, that ratio of final to primary energy consumption is lower in Poland than in Europe. This ratio is shaped mainly by efficiency of energy transformation and rate of electricity consumption growth.

<sup>&</sup>lt;sup>12</sup> Data comes from Odyssee database





Figure 31. Final intensity of GDP with climatic correction (euro05, ppp)

Final energy intensity of manufacturing at EU-27 structure in Poland was higher by 11% in comparison with European average in 2006. Using average European structure aims at elimination of differences between countries resulting from different shares of branches. Strong fluctuations in years 2000-2002 result from structural changes.

Figure 32. Final intensity of manufacturing at EU-27 structure (euro05, ppp)



Energy consumption per equivalent car reached almost the lowest level in Europe and amounted to 0.51 toe per equivalent car in 2006.




Figure 33. Energy consumption per equivalent car

Average consumption per m2 of dwelling with climatic correction was in year 2006 higher than European average by 19%. This indicator can be shaped not only by technology (efficient ovens, isolations), but also by inhabitants behaviour (temperature of heating and cooling, usage of domestic appliances, etc.).





Figure 34. Energy consumption per m<sup>2</sup> of dwelling with climatic correction

Energy consumption per employee in service sector in Poland was lower by 15% in 2006 in comparison with EU average. Since 2002 trends have been similar.

Figure 35. Energy consumption per employee in service sector with climatic correction



### 4. Conclusions

During last 20 years Poland has achieved one of the greatest progress in scope of efficient energy use. It was industry sector that contributed most, due to improvements at branches level and structural changes. Improvements were mainly autonomous decisions based on economical calculation. Modernizations were also conducted after privatization of state-owned enterprises. One of the biggest national program of energy efficiency support is Thermomodernization Fund addressed to household and service sector. In 2007 positive trends were continued and in some cases accelerated. The distance to the European averages of major energy efficiency indicators has decreased to less than 20%, but to most efficient countries remains significant.

New policy of the EU, expressed through new directives, especially directive on energy enduse efficiency and energy services, obliges to monitor energy efficiency. According to the articles energy savings should be counted as decrease of energy consumption as a result of organization activities and achieved as a result of realization of investments or modernizations.

At the present, statistical data obtained in frames of public statistics statistical surveys, do not allow to calculate all proposed in the directive indicators.

The necessity of monitoring effects of actions towards energy efficiency improvement, described in Directive 2006/32/EC, endeavour to harmonization and making international comparisons possible, force to introduce changes in respect of collection of statistical data i.e. enlarge subject and object scope of surveys, as well as to supplement administrative data bases (administrative sources).

# 5. Abbreviations

koe - kilogram of oil equivalent toe - ton of oil equivalent euro2000 - market value of euro in 2000 kWh - kilowatt hour

Names of branches used in publication are colloquial and mean:

Lp.		PKD
1.	Food	15-16
2.	Textile	17-19
3.	Wood	20
4.	Paper	21-22
5.	Chemical	24
6.	Mineral	26
7.	Primary metals	27
8.	Machinery	28-32
9.	Transport equipment	34-35
10.	Other	25, 33, 36-37

## Attachment No. 1: Data presented in the brochure

Specification	Unit	1996	1997	1998	
Primary energy consumption	Mtoe	103.2	102.0	95.7	
Final energy consumption	Mtoe	64.2	63.4	59.1	
Final energy consumption with climatic	Mtoe	61.8	63.0	59.3	
correction					
Primary energy intensity	kgoe/euro00	0.680	0.628	0.561	
Final energy intensity	kgoe/euro00	0.423	0.390	0.346	
Final energy intensity with climatic	kgoe/euro00	0.407	0.388	0.348	
correction					
Final intensity in industry:					
Food	kgoe/euro00	0.806	0.692	0.522	
Textile	kgoe/euro00	0.390	0.301	0.236	
Wood	kgoe/euro00	0.629	0.627	0.580	
Paper	kgoe/euro00	0.765	0.661	0.524	
Chemical	kgoe/euro00	2.026	1.734	1.805	
Mineral	kgoe/euro00	2.989	2.417	2.015	
Primary metals	kgoe/euro00	3.749	3.319	3.373	
Machinery	kgoe/euro00	0.346	0.281	0.224	
Transport equipment	kgoe/euro00	0.618	0.521	0.447	
Other	kgoe/euro00	0.281	0.252	0.194	
Energy intensity of production:					
Steel	toe/t	0.394	0.379	0.370	
Cement	toe/t	0.132	0.130	0.124	
Paper	toe/t	0.941	0.915	0.797	

1999	2000	2001	2002	2003	2004	2005	2006	2007
93.3	90.3	90.3	88.9	91.2	91.5	92.7	97.7	97.8
58.0	54.2	55.0	53.3	54.3	56.1	56.8	59.2	59.7
59.2	56.4	55.1	54.5	54.4	56.5	57.1	59.9	61.5
0.523	0.486	0.481	0.466	0.461	0.439	0.429	0.425	0.399
0.325	0.292	0.293	0.279	0.274	0.269	0.263	0.258	0.244
0.332	0.304	0.293	0.286	0.275	0.271	0.264	0.261	0.251
0.367	0.370	0.378	0.344	0.320	0.304	0.210	0.191	0.171
0.209	0.176	0.175	0.186	0.171	0.143	0.139	0.108	0.096
0.478	0.384	0.412	0.469	0.436	0.425	0.465	0.373	0.360
0.435	0.404	0.407	0.425	0.496	0.435	0.439	0.400	0.467
1.759	1.708	1.604	1.517	1.453	1.405	1.206	1.088	1.020
1.591	1.154	1.223	1.099	0.992	0.903	0.861	0.701	0.734
3.201	3.524	6.886	4.767	5.929	6.803	5.004	4.218	4.081
0.172	0.139	0.127	0.121	0.103	0.084	0.074	0.054	0.043
0.317	0.220	0.211	0.183	0.153	0.115	0.139	0.117	0.101
0.142	0.133	0.130	0.133	0.127	0.115	0.102	0.100	0.087
0.356	0.329	0.328	0.300	0.290	0.281	0.273	0.250	0.237
0.111	0.105	0.098	0.090	0.087	0.102	0.098	0.098	0.089
0.710	0.647	0.628	0.598	0.603	0.510	0.572	0.552	0.664

Specification	Unit	1996	1997	1998	
Households:					
Energy consumption per dwelling	toe/dwel.	1.983	1.902	1.693	
Energy consumption per dwelling with	toe/dwel.	1.807	1.878	1.710	
climatic correction					
Energy consumption per m <sup>2</sup>	kgoe/m <sup>2</sup>	32.7	31.3	27.7	
Energy consumption for heating per m <sup>2</sup>	kgoe/m <sup>2</sup>	24.5	23.0	19.9	
Electricity consumption per	kWh/dwel.	1664.6	1702.2	1737.7	
dwelling					
Services:					
Energy intensity	kgoe/euro00	0.054	0.050	0.049	
Electricity intensity	kWh/euro00	221.4	197.1	243.0	
Energy consumption per employee	toe/emp.	0.707	0.660	0.673	
Electricity consumption per employee	kWh/emp.	2916.4	2609.7	3318.9	
Transport:					
Fuels consumption per equivalent car	toe/eq.car	0.541	0.552	0.525	
Energy sector:					
Heat plants efficiency	%	75.90	76.32	76.87	
CHP efficiency	%	46.20	46.26	46.72	
ODEX indicator:					
Manufacturing		150.9	137.0	121.1	
Transport		109.2	112.9	114.2	
Households		111.2	111.1	106.3	
Global ODEX		128.9	122.8	114.5	
Households	farmers is include	111.2 128.9	111.1	10	

\* since 2003, consumption of electricity by farmers is included

1999	2000	2001	2002	2003	2004	2005	2006	2007
1.686	1.479	1.609	1.455	1.422	1.415	1.449	1.511	1.401
1.773	1.626	1.618	1.529	1.427	1.441	1.466	1.554	1.502
27.5	24.1	26.1	21.4	20.7	20.5	20.9	21.7	20.1
19.8	16.8	18.5	14.9	14.1	14.0	14.4	15.2	13.8
1767.9	1775.5	1789.1	1741.0	1972.7*	2008.3	1976.2	2055.0	2029.0
0.049	0.048	0.052	0.055	0.057	0.055	0.053	0.051	0.051
260.8	265.3	271.0	258.5	262.3	263.0	274.1	288.7	277.4
0.705	0.695	0.799	0.867	0.922	0.916	0.891	0.883	0.896
3732.0	3841.7	4162.4	4050.1	4265.9	4396.5	4625.3	4973.4	4829.9
0.561	0.438	0.419	0.381	0.426	0.458	0.496	0.514	0.533
77.92	77.90	78.73	78.48	78.27	77.22	77.27	77.65	76.99
46.70	46.52	47.12	47.36	47.83	47.62	48.07	47.51	46.93
109.2	100.0	94.3	89.7	83.9	79.4	74.1	72.1	67.0
106.8	100.0	88.2	87.6	90.1	97.7	103.1	106.1	109.6
102.6	100.0	95.9	89.8	84.7	81.2	81.1	81.1	80.6
106.1	100.0	93.4	89.2	85.9	85.3	85.5	86.1	85.8

### Attachment No. 2. Measures towards energy efficiency improvements

The Directive 2006/32/EC on energy end-use efficiency and energy services and repealing Council Directive 93/76/EEC entered into force on the 17th May 2006. The purpose of the Directive is to enhance the cost-effective improvement of energy end-use efficiency in the Member States by providing the necessary indicative targets as well as mechanisms, incentives and institutional, financial and legal frameworks to remove existing market barriers and imperfections that impede the efficient end use of energy and by creating the conditions for the development and promotion of a market for energy services and for the delivery of other energy efficiency improvement measures to final consumers.

The Directive shall apply to:

- providers of energy efficiency improvement measures, energy distributors, distribution system operators and retail energy sales companies. However, Member States may exclude small distributors, small distribution system operators and small retail energy sales companies;
- final customers. However, the Directive shall not apply to those undertakings involved in categories of activities listed in Annex I to Directive 2003/87/EC of the European Parliament and of the Council of 13 October 2003 establishing a scheme for greenhouse gas emission allowance trading within the Community;
- the armed forces, only to the extent that its application does not cause any conflict with the nature and primary aim of the activities of the armed forces and with the exception of material used exclusively for military purposes.

Member States shall adopt and aim to achieve an overall national indicative energy savings target of 9 % for the ninth year of application of the Directive, to be reached by way of energy services and other energy efficiency improvement measures. Member States shall take cost-effective, practicable and reasonable measures designed to contribute towards achieving this target.

Member States shall use the annual final inland energy consumption of all energy users within the scope of the Directive for the most recent five-year period previous to the implementation of this Directive for which official data are available, to calculate an annual average amount of consumption. This final energy consumption shall be the amount of energy distributed or sold to final customers during the five-year period, not adjusted for degree days, structural changes or production changes. On the basis of this annual average amount of consumption, the national indicative energy savings target shall be calculated once and the resulting absolute amount of energy to be saved applied for the total duration of the Directive. The national energy savings in relation to the national indicative energy savings target shall be measured as from 1 January 2008.

The Polish National Energy Efficiency Action Plan (NEEAP) fulfils the provisions of Art. 14(2) of Directive 2006/32/EC of the European Parliament. This document describes the indicative energy savings target adopted for 2016 in absolute units. This is to be achieved over nine years starting from 2008 in accordance with Art. 4 of the Directive mentioned above. A national intermediate energy savings target has also been adopted for 2010, which is indicative in nature and constitutes a path for the attainment of the target adopted for 2016 and which will help in assessing progress towards it. In addition, the document provides a description of the funds and the national measures that are to be implemented or planned on the basis of these funds aimed at achieving the national indicative targets within the projected timescale.

The funds and measures proposed under the National Energy Efficiency Action Plan (NEEAP) are aimed at:

- Achieving the indicative target for energy savings as required by Directive 2006/32/EC, i.e. 9% in 2016,
- Achieving an intermediate target of 2% in 2010.

The following assumptions were used in preparing the National Energy Efficiency Action Plan (NEEAP):

- The measures proposed comply with the measures proposed by the European Commission in its document "Action Plan for Energy Efficiency: Realising the Potential', COM(2006) 545.
- The proposed measures will depend to the maximum degree on market mechanisms and to a minimum level on financing from the budget,
- The realisation of the targets will be achieved according to the principle of least cost (i.e. *inter alia*, using existing organisational infrastructure and mechanisms where possible),
- It has been assumed that all entities will participate in order to use the whole country's energy efficiency potential.

#### National energy savings target

Calculation of the national energy savings target – methodology in [ktoe]<sup>\*)</sup>.

Final energy	2001	2002	2003	2004	2005	Average	
Consumption, [ktoe]						for 2001-2005	
						2001 2002	
Total final energy	55 810	54 013	55 238	56 456	60 448	56 393	
consumption							
Residential buildings	19 212	18 092	17 663	17 414	18 573		
Services	16 979	16 198	16 759	17 290	18 730		
Industry	16 979	16 198	16 759	17 290	18 730		
Transport	9 161	8 982	10 150	11 299	12 677		
Agriculture	5 162	4 885	4 424	4 4 3 4	4 489		
Final energy consumption in	n the installa	tions listed	l in Annex	I to Direc	tive	5 326	
2003/87/EC (Emissions Trading Directive)							
Final energy consumption excluding the installations listed in Annex I to							
Directive 2003/87/EC							
Target of Directive 2006/32/EC for 2016 (9% in year 9)							
An intermediate target for 2010 (2 %)							

<sup>()</sup> toe=41.868 GJ


The Energy Efficiency Law in Poland would be the primary instrument for implementing the Directive 2006/32/EC. The draft of this law, prepared by Ministry of Economy, was presented for ministerial and public consultation on 29 May 2009. Reduction of energy consumption, reduction of energy losses during transmission and distribution, increase of energy security and reduction of environmental pollution are the main objectives set out in the draft law. The proposed Act imposes the exemplary role of the public sector in activities towards energy efficiency improving. Offices and institutions will be required to save over the years not less than 1 percent of the average energy consumption by taking relevant actions, and results achieved will be informed on its website. The Act will introduce the white certificates as a main support system. The certificates will confirm the realization of pro energy savings measures, which result the specific amount of energy saved. Developed will be a detailed catalogue of measures, which will be awarded a certificate of energy efficiency. In Poland there are currently being realized some measures to improve energy efficiency e.g. support for thermo-modernisation investments undertaken under the scheme determined by Thermomodernisation law and Fund. There are activities planned or initiated and presented in the National Energy Efficiency Action Plan, which list was presented in the previous edition of the Central Statistical Office publication from 2008 entitled "Energy efficiency in the years 1996-2006."

Actions and measures to improve energy efficiency that have been undertaken or are being planned in all European countries, including Poland, are presented in the database MURE: http://www.mure2.com/. MURE database was developed under the SAVE program of "Intelligent Energy - Europe" by a team of European experts. The database is coordinated by the ISIS (Institute of Studies for the Integration of Systems, Rome) and the Fraunhofer Institute for Systems and Innovation Research ISI (Germany). MURE database is also supported by national funds of Member States. MURE Project was adopted by the Directorate General for Energy and Transport (Directorate General for Energy and Transport) as a database containing data on rational use of energy (RUE) and energy efficiency policies.


MURE (Mesures d'Utilization rationnelle de l'Energie) provides information on energy policy, and includes data on the measures taken to improve the energy efficiency of the EU Member States. MURE database provides descriptions of actions, their assessment, and also allows comparison of the activities implemented in Member States. MURE database is an essential tool showing "evident progress" in reducing emissions by improving energy efficiency, in accordance with the requirements of the Kyoto Protocol. The network of energy agencies of the European Union guarantees the continuous updating of the database MURE.

MURE database, including some statistics and an overview of the issues of energy efficiency in each country consists of sections containing information on programs to improve the efficiency of basic economic sectors: industry, households, transport, services and programs of a horizontal nature, covering all sectors. Actions towards energy efficiency improving are classified in categories as: legislative, fiscal, financial support, information, activities, etc. The effects are assessed qualitatively and also, if possible, quantified.

The number of presented in the database MURE measures to improve energy efficiency, for all European countries and the Poland are presented in the figures below (state on 30<sup>th</sup> June 2009).



The number of energy efficiency improvement measures implemented or planned in European countries, as described in the MURE database



The number of energy efficiency improvement measures implemented or planned in Poland, as described in the MURE database

## Attachment No. 3. List of legal acts

#### EU documents concerning issues related to energy efficiency are as follows:

- 1) Gren paper for a European Union Energy Policy (1995)
- 2) Energy Charter Treaty and Energy Charter Protocol on Energy Efficiency and Related Environmental Aspects (PEEEREA). (1994)
- 3) White Paper Energy for the Future: RES. (1997)
- 4) Council Resolution on energy efficiency in the European Community (1998).
- 5) Action Plan to Improve Energy Efficiency in the European Community. (2000)
- 6) European Climate Change Programme (ECCP). (2000)
- A sustainable Europe for a better world A European Union strategy for sustainable development. *Gothenburg European Council (2001)*
- 8) Green Paper Towards a European Strategy for Energy Supply Security. (2001)
- 9) White Paper. European Transport Policy for 2010: Time to Decide.(2001)
- Directive 2006/32/EC of the European Parliament and of the council of 5 April 2006 on energy end-use efficiency and energy services and repealing Council Directive 93/76/EEC.

#### Directives concerning energy efficiency of appliances:

- 1. Council Directive 78/170/EEC of 13 February 1978 on the performance of heat generators for space heating and the production of hot water in new or existing non industrial buildings and on the insulation of heat and domestic hot-water distribution in new non-industrial.
- Council Directive 79/531/EEC of 14 May 1979 applying to electric ovens Directive 79/530/EEC on the indication by labelling of the energy consumption of household appliances.
- Council Directive 92/42/EEC of 21 May 1992 on efficiency requirements for new hotwater boilers fired with liquid or gaseous fuels.
- 4. Council Directive 92/75/EEC on the indication by labelling and standard product information of the consumption of the energy and other resources by household appliances.

- Commission Directive 94/2/EC of 21 January 1994 implementing Council Directive 92/75/EEC with regard to energy labelling of household electric refrigerators, freezers and their combinations.
- Commission Directive 95/12/EC of 23 May 1995 r. implementing Council Directive 92/75/EEC with regard to energy labelling of household washing.
- Commission Directive 95/13/EC of 23 May 1995 implementing Council Directive 92/75/EEC with regard to energy labelling of household electric tumble driers.
- 8. Directive 96/57/EC of the European parliament and of the council of 3 September 1996 on energy efficiency requirements for household electric refrigerators, freezers and combinations thereof.
- Commission Directive 96/60/EC of 19 September 1996 implementing Council Directive 92/75/EEC with regard to energy labelling of household combined washerdriers.
- Commission Directive 96/89/EC of 17 December 1996 r. amending Directive 95/12/EC implementing Council Directive 92/75/EEC with regard to energy labelling of household washing machines.
- Commission Directive 97/17/EC of 16 April 1997 implementing Council Directive 92/75/EEC with regard to energy labelling of household dishwashers.
- Council Directive 98/11/EC of 27 January 1998 implementing Council Directive 92/75/EEC with regard to energy labelling of household lamps.
- Directive 2000/55/EC of the European Parliament and of the Council of 18 September 2000 on energy efficiency requirement for ballasts for fluorescent lighting.
- Commission Directive 2002/31/EC of 22 March 2002 implementing Council Directive 92/75/EEC with regard to energy labelling of household air-conditioners.
- Commission Directive 2002/40/EC of 8 May 2002 implementing Council Directive 92/75/EEC with regard to energy labelling of household electric ovens.
- Directive 2002/91/EC of the European Parliament and of the Council of 16 December 2002 on the energy performance of buildings.
- Commission Directive 2003/66/EC of 3 July 2003 implementing Council Directive 92/75/EEC with regard to energy labelling of household electric refrigerators, freezers and their combinations.
- 18. Directive 2005/32/EC of the European Parliament and of the Council of 6 July 2005 establishing a framework for the setting of ecodesign requirements for energy-using

products and amending Council Directive 92/42/EEC and Directives 96/57/EC and 2000/55/EC of the European Parliament and of the Council.